

雅

ELEGANCE

W ENERGY

DESIGN SENSE
COLLECTION




ELEGANCE SENSE COLLECTION


产品汇总



HP630NJ-01L




HP630MZ-01L



HP630GW-01L




HPZ630-01L




HP630NJ-J49



HP630MZ-J49



HP630GW-J49



HPZ630-J49

ELEGANCE SENSE COLLECTION


产品汇总



HP630NJ-J6



HP630MZ-J6




HP630GW-J6




HPZ630-J6




HP630NJ-J34



HP630MZ-J34



HP630GW-J34



HPZ630-J34



ELEGANCE SENSE COLLECTION


产品汇总



HP630NJ-M03M



HP630MZ-M03M




HP630GW-M03M




HPZ630-M03M



HP630NJ-GL01M




HP630MZ-GL01M



HP630GW-GL01M




HPZ630-GL01M



ELEGANCE SENSE COLLECTION

产品规格 Product size



PACKING INFORMATION

m² / BOX : 1 m² /BOX
PSC / BOX : 56 / BOX
PSC / m² : 56 / m²

SIZE

60x300x11mm

ELEGANCE SENSE COLLECTION

Product Description

SERIES	雅ELEGANCE
SIZE	60×300×11MM
GLAZE	Matta and Glossy
MATERIAL	Ceramic
WATER ABSORPTION	10~15%
SURFACE	Pattern
ANTI-FOULING	√
ANTI-SLIP	√
SCRATCH RESISTANT	√
SEAM	2-3MM
PASTE MATERIAL	Tile Adhesive/Cement
PAVING SUGGESTIONS	When using cement, soak the tiles in water for 20 minutes. When using tile adhesive, there's no need to soak the tiles.
SEALANT	Apply epoxy grout three days later
SUITABLE	Floor Tile / Wall Tile / Bathroom / Bedroom / Kitchen