

翠
玉
JADE

ENERGY



DESIGN SENSE
COLLECTION

JADE SENSE COLLECTION

产品汇总



630WD-01L



630HW-01L




53GZ-01L



NCC-01L



NCE-01(Z/Y)



HZJ624-01L



PK-01L



NLYM-01L



NLYM-02J



125-01L



HP-Z6125-01L



HP-125-01L



HP-Z1252-01L



JADE SENSE COLLECTION

产品信息 Product information



CODE:630WD-01L/630HW-01L

SIZE:60X300X9mm



JADE SENSE COLLECTION

产品信息 Product information



CODE:53GZ-01L
SIZE:50X300X25mm



JADE SENSE COLLECTION

产品信息 Product information




CODE:NCC-01L

SIZE:30x250x17mm



JADE SENSE COLLECTION

产品信息 Product information




CODE:NCE-01L(Z/Y)

SIZE:30x250x17mm



JADE SENSE
COLLECTION

产品信息 Product information



240mm

60mm

CODE:HZJ624-01L
SIZE: 60x240x12mm



JADE SENSE COLLECTION

产品信息 Product information




240mm

60mm


CODE:PK-01L

SIZE: 60x240mm



JADE SENSE COLLECTION

产品信息 Product information




CODE:NLYM-02J/NLYM-01L

SIZE: 90x185x9mm



JADE SENSE
COLLECTION

产品信息 Product information




CODE:125-01L

SIZE: 125x125x9mm



JADE SENSE COLLECTION

产品信息 Product information



CODE:HP-Z1252-01L(A)/HP-Z6125-01L(B)/HP-125-01L(C)
SIZE: 125X252X11mm(A)/61X125X11mm(B)/125X125X11mm(C)

JADE SENSE COLLECTION

Product Description

SERIES	翠JADE
SIZE	For detailed information, please refer to the product Information page
GLAZE	Glossy
MATERIAL	Ceramic
WATER ABSORPTION	10~15%
SURFACE	Solid Colour
ANTI-FOULING	√
ANTI-SLIP	√
SCRATCH RESISTANT	√
SEAM	2-3MM
PASTE MATERIAL	Tile Adhesive/Cement
PAVING SUGGESTIONS	When using cement, soak the tiles in water for 20 minutes. When using tile adhesive, there's no need to soak the tiles.
SEALANT	Apply epoxy grout three days later
SUITABLE	Floor Tile / Wall Tile / Backsplash / Bathroom / Bedroom / Kitchen